



iMac

Environmental Report



Model MB325 (24-inch iMac)

Date introduced
April 28, 2008

Environmental Status Report



iMac (24-inch) is designed with the following features to reduce environmental impact:

- Arsenic-free glass
- Majority of circuit board laminates are free of brominated flame retardants
- PVC-free internal cables
- Highly recyclable aluminum and glass enclosure

Meets ENERGY STAR requirements



iMac achieved a Silver rating from EPEAT




Apple and the Environment

Apple believes that improving the environmental performance of our business starts with our products. The careful environmental management of our products throughout their life cycles includes controlling the quantity and type of materials used in their manufacturing, improving their energy efficiency, and designing for better recyclability. The information below details the life cycle environmental performance of iMac as it relates to climate change, energy efficiency, restricted substances and material efficiency.

Climate Change

Greenhouse gas emissions have an impact on the planet's balance of land, ocean, and air temperature. Most of Apple's corporate greenhouse gas emissions come from the production, transport, use and recycling of its products. Apple seeks to minimize greenhouse gas emissions by setting stringent design-related goals for material and energy efficiency. The chart below provides the estimated life-cycle greenhouse gas emissions for the iMac.

Greenhouse Gas Emissions for iMac



Total greenhouse gas emissions: 1500 kg CO₂e

Energy Efficiency

Because the largest portion of product related greenhouse gas emissions result from its use, energy efficiency is a key part of each product's design. Apple products use power efficient components and software that intelligently powers them down during periods of inactivity. The result is iMac is energy efficient right out of the box.

iMac outperforms the stringent requirements of the Energy Star program. The following table details the power consumed by iMac in different use modes.

Power Consumption for iMac

Mode	100V	115V	230V
Off	1.53 W	1.58 W	1.65 W
Sleep	2.48 W	2.52 W	2.58 W
Idle—Display off / on	35.9 W / 110.3 W	35.9 W / 112.7 W	36.2 W / 113.2 W
Power supply efficiency	84%	85%	86%


Continuous Improvement of iMac Design



Material Efficiency

Apple's ultra-compact product and packaging designs lead the industry in material efficiency. Reducing the material footprint of a product helps maximize shipping efficiency. It also helps reduce energy consumed during production and material waste generated at end of life. iMac's enclosure is made of aluminum and glass, both materials highly desired by recyclers. The chart below details the materials used in the iMac.

Material Use for iMac



Packaging

iMac's packaging is almost entirely recyclable and its retail box is made with a minimum of 25% post-consumer recycled content. In addition, iMac's packaging is extremely material efficient, allowing more units to ship per pallet. The following table details the materials used in iMac's packaging.

Packaging breakdown for iMac

Material	Retail box	Retail and shipping box
Paper (corrugate, paperboard)	2078 g	3158 g
Expanded polystyrene	583 g	583 g
Oriented polypropylene	50 g	50 g
Low density polyethylene	18 g	18 g
Other plastics	52 g	52 g

Restricted Substances

Apple has long taken a leadership role in restricting harmful substances from its products and packaging. As part of this strategy all Apple products comply with the strict European Directive on the Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic Equipment, also known as the RoHS directive. Examples of materials restricted by RoHS include lead, mercury, cadmium, hexavalent chromium, and PBB and PBDE brominated flame retardants (BFRs). iMac goes even further than the RoHS Directive by incorporating the following self-imposed restrictions:

- Arsenic-free display glass
- Majority of PCB laminates, enclosure parts, are free of brominated flame retardants (BFRs) and all internal cables are free of polyvinyl chloride (PVC)



Recycling

Through ultra-efficient design and use of highly recyclable materials, Apple has minimized material waste at product end of life. In addition, Apple offers and participates in various product take-back and recycling programs in 95% of the regions where Apple products are sold. All products are processed in the country or region in which they are collected. For more information on how to take advantage of these programs, visit www.apple.com/environment/recycling/.

Definitions

EPEAT, Electronic Product Environmental Assessment Tool: EPEAT is a program which ranks computers and displays based on environmental attributes in accordance with IEEE 1680. For more information visit www.epeat.net.

Greenhouse gas emissions: Estimated emissions are calculated in accordance with guidelines and requirements as specified by ISO 14040 and ISO 14044. Calculation includes emissions from the following Life Cycle phases contributing to Global Warming Potential (GWP 100 years) in CO₂ equivalency factors (CO₂e).

- **Production:** Includes the extraction, production, and transport of raw materials; and the manufacture of the product as well as product packaging.
- **Transport:** Includes air and sea transportation of the finished product and its associated packaging from the manufacturing site to continental distribution hubs. Transport of products from distribution hubs to the end customer is not included.
- **Use:** End-user power consumption assumes a 4 year period. Consumption patterns are modeled according to European Commission and the US Environmental Protection computer eco-design studies. Geographic differences in the power grid mix have been accounted for at a continental level.
- **Recycling:** Includes transportation from collection hubs to recycling centers, and the energy used in mechanical separation and shredding of parts.

Energy efficiency terms: The energy values in this report are based on the Energy Star Program Requirements for Computers Version 4.0. For more information, visit www.energystar.gov.

- **Off:** Lowest power mode of the system when it is shut down. Also referred to as Standby.
- **Idle—Display on:** System is on and has completed loading Mac OS X; the display set to its full brightness.
- **Idle—Display off:** System is on and has completed loading Mac OS X; the display set to sleep.
- **Sleep:** Low power state that is entered automatically after 10 minutes of inactivity (default), or by selecting “Sleep” from the Apple menu. Wake-on-LAN is enabled.
- **Power Supply Efficiency:** Average of the power supply’s measured efficiency when tested at 100%, 75%, 50%, and 25% of the power supply’s output power.

Restricted substances: Apple defines a material as BRF-free and PVC-free if it contains less than 900 parts per million (ppm) of bromine and chlorine.