

# Apple Product Environmental Specification

**Product:** 20-inch iMac  
**Part Numbers:** MA876, MA877

**Date:** 10/09/07

This list of environmental attributes can be used as a guide to determine product compliance with various regional, country, and industry sector product environmental criteria. The environmental criteria listed is based on programs such as ECMA, IT ECO (formerly SITO), Blue Angel, ENERGY STAR®, and TCO.

Each criteria listed includes a reference to the section of the Eco-label specification where it is described.  
Note: Not all environmental criteria apply to all products.

This environmental specification is provided for informational purposes only. Nothing contained within shall be construed as a warranty, expressed or implied, with respect to the product.

<b>Table of Contents:</b>	<b>Page</b>
<b>1.0 Environmental policy &amp; environmental management</b>	<b>2</b>
An environmental policy and environmental management system (EMS) demonstrates the commitment, purpose, objective and mission of a company. Apple has established an internal EMS, and has certified its facilities in Sacramento, CA, Ireland, and Singapore to ISO 14001.	
<b>2.0 Environmentally conscious design</b>	<b>2</b>
Environmentally conscious design is the systematic approach of identifying and incorporating product features and functions with respect to environmental, health and safety objectives throughout all stages of a product's life. Apple has established a process where we address these issues in the design, development, manufacture, use, and end-of-life of our products.	
<b>3.0 Banned/restricted materials</b>	<b>3</b>
Some materials that have traditionally been used in electronic products have been determined to be environmental or health hazards. The use of these materials has been banned or restricted by legislation or eco-labels.	
<b>4.0 Batteries</b>	<b>3</b>
Apple uses rechargeable batteries to provide power for notebooks, develops power management software and energy saving features to obtain maximum efficiency, and avoids batteries that contain lead, cadmium and/or mercury.	
<b>5.0 Energy consumption</b>	<b>4</b>
The use of energy-efficient products results in savings in energy costs and the reduction of pollution resulting from the generation of electricity. Apple promotes energy conservation in its product design and performance including our participation in the ENERGY STAR® program and no-load power consumption programs such as the EU Code of Conduct for external power supplies, and the U.S. Federal Energy Management Program. The energy data listed reflects standard configurations only. Other configurations may yield different energy values.	
<b>6.0 Emissions</b>	<b>4</b>
Apple products are tested and certified to international standards to assure the safe use of our products.	
<b>7.0 Electrical Safety, EMC, and connection to telephone network</b>	<b>5</b>
The safe use of Apple products is of foremost concern. Therefore, Apple tests and certifies our products to international standards to assure their safe use.	
<b>8.0 Ergonomics</b>	<b>5</b>
Visual ergonomics is an important concern to computer users. It affects user comfort and performance. Apple designs, tests and certifies our displays to meet stringent visual ergonomics (front of screen) criteria. In addition, our displays have the capability of tilting and swiveling to adjust to user needs.	
<b>9.0 Packaging and documentation</b>	<b>5</b>
Apple evaluates the environmental attributes of our packaging for hazardous materials as well as the minimization of the quantity and weight of the packaging materials. These considerations enable and promote recycling of packaging materials for our customers.	
<b>10.0 Recycling</b>	<b>5</b>
Apple designs its products with specific features and functions that promote the ease of recyclables. In addition, in specific countries, Apple has established takeback/recycling programs to assist customers.	
<b>11.0 Additional Attributes</b>	<b>5</b>
<b>12.0 Noise characteristics</b>	<b>5</b>
Acoustical noise is becoming an increasingly important concern to computer users. It affects user comfort and performance, and it may become disruptive and annoying to the user or others in the work environment. For these reasons, Apple is concerned and designs our products to generate acoustical noise levels as low as possible.	
<b>13.0 Additional Information/Notes</b>	<b>6</b>

Apple Product Environmental Specification		Requirement met			IT ECO	Blue Angel	TCO '99	ECMA
		Yes	No	N/A	('02)	Desktop CPUs	Desktop Display	(6/99)
<b>1</b>	<b>Environmental policy &amp; environmental management</b>							
1.1	The manufacturer has a documented environmental policy approved by the management	X			C3.1		1.1.1	5.1
1.2	The manufacturer has an environmental management system according to: ISO 14001 __X__, EMAS ____ or internal system ____	X			C3.2		1.1.3	5.1
1.3	The manufacturer regularly publishes an environmental report		X		C3.3			
1.4	The manufacturer and the manufacturer's representative market its products in accordance with environmental rules in applicable marketing legislation	X					1.1.4	
<b>2</b>	<b>Environmentally conscious design</b>							
2.1	Large mechanical plastic parts consist of one material or of materials that are easy to separate	X			P6.3			5.9
2.2	All plastic components that weigh >100g shall be made from no more than 2 types of plastics	X			P6.3		1.4.2	
2.3	The variety of materials forming components of comparable functions are limited to one material	X				B.1		
2.4	The proportional use of recycle is permitted		X			B.5		
2.5	Mechanical plastic parts, heavier than 25 g are marked with plastic identification code according to ISO 11469 and ISO 1043, parts 1-4 Plastics - Symbols and abbreviated terms	X			P6.4, 6.5, P6.15	3.1.3	1.4.1	5.9
2.6	The coating of plastic components is limited to a minimum	X				B.3		
2.7	Paints, lacquers or varnishes do not increase the weight of any plastic component weighing >25 g by more than 1%. In-mold decoration is not allowed in any plastic components weighing >25 g. Metallic paint (particles > 10 microns) is not allowed	X					1.4.3	
2.8	No internal or external metallization or molded in metal parts or glued parts in plastic housing for stand-alone displays			X			1.4.4(a)	
2.9	Plastic parts are free from metal inlays that cannot be removed by one person alone with a standard tool	X			P6.6			
2.10	Labels should be inherent and separable for recycling	X			P6.7			
2.11	Components made of incompatible materials can be removed separately or via separation aids	X				A.1		
2.12	Connections to be separated during disassembly are easily traceable	X				A.3		
2.13	The product is designed for easy dismantling during recycling; gluing/welding of different materials has been avoided	X			P6.1	3.1.1		
2.14	Disassembly can be done exclusively with all-purpose tools	X				A.4		
2.15	Disassembly can be done by a single person	X				A.9		
2.16	All screwed connections between modules can be separated with no more than three tools	X				A.7		
2.17	Large-size plastic case parts are so designed as to ensure the reutilization of the plastics on the basis of existing technologies for the production of high-quality and long-lived plastic products	X				3.1		
2.18	Materials and material compounds can be recycled on an industrial scale (technologically and economically useful)	X				B.4		
2.19	Future recycling and material utilization processes are taken into account	X				3.1		
2.20	Electronic modules containing harmful substances are easily traceable and removable for recycling	X				A.2		
2.21	The case parts are free from electronic modules	X				A.11		
2.22	The product has a modular design and no special tools are needed to upgrade the product	X			P6.8	4.4, C.1		
2.23	Processor, memory and cards of various types can be changed/upgraded	X			P6.9	4.4, C.2		5.2
2.24	Information on the ability to change/upgrade components is included in the product documentation	X				4.5		5.2
2.25	Design allows for installation, expansion exchange, upgrade, or attachment of a mass storage unit	X			P6.10	4.4, C.3		5.2



Apple Product Environmental Specification				Requirement met			IT ECO	Blue Angel	TCO '99	ECMA	
				Yes	No	N/A	('02)	Desktop CPUs	Desktop Display	(6/99)	
<b>5</b>	<b>Energy consumption</b>										
5.1	Power supply maximum continuous power rating			200 W			← See Values	P8.1	4.1.1.6	4.5	5.3
	<b>Mode</b>	<b>100V</b>	<b>115V</b>	<b>230V</b>							
	Off	1.44 W	1.46 W	1.43 W							
	Sleep – WOL off	1.92 W	1.98 W	2.02 W							
	Sleep – WOL on	2.27 W	2.37 W	2.40 W							
	Idle – Display off	48.7 W	48.7 W	47.9 W							
	Idle – Display on	85.4 W	84.4 W	82.3 W							
5.2	Internal power supply efficiency:						← See Values				
	<b>Mode</b>	<b>115V</b>	<b>230V</b>								
	Average Efficiency	86%	88%								
5.3	Product meets ENERGY STAR® v4.0 criteria			X			P8.4	4.1.1.1	4.5	5.3	
5.4	External power supply (AC adapter) meets ENERGY STAR® criteria					X					
5.5	External power supply (AC adapter) meets European Code of Conduct (2003) criteria					X					
5.6	Product meets US FEMP (Federal Energy Management Program) criteria			X							
5.7	Information about the energy save function is given in the user manual			X			P8.3			5.3	
5.8	Sleep mode is activated automatically			X			P8.1	4.1.1.2			
5.9	Product shall not be damaged if separated from power source for at least 4 weeks			X				4.1.1.4			
5.10	The computer supports an operating system allowing the implementation of power-saving functions. Unit must offer at least one power-saving rest mode which activates automatically after a factory pre-set interval			X				4.1.1.2			

#### Definitions of energy consumption modes in section 5.1:

In each mode, the system is connected to AC power, keyboard, and mouse.

**Idle - Display on:** State in which the system has completed loading Mac OS X with its default settings, with the display at its full brightness.

The following modes correspond to the requirements of the Energy Star Program Requirements for Computers Version 4.0 specification. Refer to the specification for the complete test conditions. The system is connected to a gigabit Ethernet network for each mode.

**Idle - Display off:** State in which the system has completed loading Mac OS X and the display is off after a period of inactivity.

**Sleep - WOL on:** Low power state that is entered automatically after a period of inactivity or by selecting sleep from the Apple menu. Wake-on-LAN, a Mac OS X default feature that allows the system to wake from sleep when directed by a network request, is enabled for this test.

**Sleep - WOL off:** Low power state that is entered automatically after a period of inactivity or by selecting sleep from the Apple menu. Wake-on-LAN functionality, which allows the system to wake from sleep when directed by a network request, is disabled through the Energy Saver System Preference panel.

**Off:** Lowest power mode of the system, also referred to as standby-mode or shutdown.

#### Definitions of energy consumption modes in section 5.2:

**Average Efficiency:** Average of the power supply efficiency when tested at 100%, 50%, and 20% of the power supply's rated power output.

<b>6</b>	<b>Emissions</b>									
6.1	Alternating Electric Field: Band I: 5 Hz to 2 kHz, < 10 V/m, measured 30 cm & 50 cm in front of display; Band II: 2 kHz to 400 kHz, < 1 V/m, measured at 50 cm around display & at 30 cm in front (Products with CRTs and Flat Panels)					X			4.3	
6.2	Alternating Magnetic Fields: Band I: 5 Hz to 2 kHz, ≤ 200 nT, measured at 50 cm around & at 30 cm in front; Band II: 2 kHz to 400 kHz, ≤ 25 nT measured at 50 cm around display (Products with CRTs and Flat Panels)					X			4.4	

Apple Product Environmental Specification		Requirement met			IT ECO	Blue Angel	TCO '99	ECMA
		Yes	No	N/A	('02)	Desktop CPUs	Desktop Display	(6/99)
<b>7</b>	<b>Electrical safety, EMC and connection to the telephone network</b>							
7.1	The product is CE-marked and a CE certificate of conformity is available	X			P3.4			5.4
7.2	The product meets applicable EMC Directives	X			P3.2			
7.3	The product is to be connected to the PTT network and meets the EU telecommunications Directive	X			P3.3			
7.4	Product meets the Low Voltage Directive (LVD) regarding electrical safety (73/23/EEC and 93/68/EEC)	X			P3.1			
7.5	The product meets the requirements of EN 60950 for electrical safety	X					5.1	
<b>8</b>	<b>Ergonomics</b>							
8.1	The personal computer system meets the ergonomic requirements of ISO 9241-3, -7, -8 for CRT and ISO 13406-2 for flat panel displays			X	12.1			
8.2	The product keyboard meets the requirements of ISO 9995 and EN ISO 9241-4			X	12.2			
8.3	Input devices meets the requirements of ISO 9241-9			X	12.3			
8.4	The LCD panel meets the ergonomic requirements of TCO'99			X			B.1,B.2	
<b>9</b>	<b>Packaging and documentation</b>							
9.1	The product package material does not contain heavy metals	X			P5.1			
9.2	The product package material does not contain CFC/HCFC	X			P13.1			5.8
9.3	Product packaging materials and weights:			← See Values	P13.2			5.11
	<b>Material type</b>	<b>Retail Box</b>	<b>Retail and Shipping Box</b>					
	Corrugated cardboard and paperboard	1550g	2440g					
	EPS (expanded polystyrene)	400g	400g					
	HDPE/LDPE	45g	45g					
9.4	Plastic packaging material is marked according to: DIN 6120 _____ ISO 11469 / ISO 1043 _____ SPI <u>X</u>	X			13.3	3.1.8		5.11
9.5	The company participates in or has its own system for collection and recycling of packaging material (refer to item 13)	X			C1.1			5.11
9.6	No polyvinyl chloride (PVC) used in packaging	X			P13.5			
9.7	Packaging is in conformance with national guidelines, regulations and/or standards such as those implementing the EU Directive 94/62/EEC and/or the Ordinance on Packaging, as amended	X						5.11
<b>10</b>	<b>Recycling</b>							
10.1	The company has a system for reuse/recycling of the product and/or consumables (refer to item 13)	X			C2.1	3.1.7	1.4.5	5.12
10.2	Information about the system for reuse/recycling can be found in the user manual or specified elsewhere (refer to item 13)	X			C4.1	3.1.7		5.12
<b>11</b>	<b>Additional Attributes</b>							
11.1	The supply of spare parts for repair of the product is guaranteed for at least 5 years from termination of production	X			P6.11	3.1.6		5.2
11.2	Information on modularity of design, expansion capacity and guarantee is included in product documentation	X				3.1.7		5.2
<b>12</b>	<b>Noise Characteristics</b>							
12.1	Declared Noise Emissions in accordance with ISO 9296							
	Condition	Sound Power Level L <sub>Wad</sub> (B) 1B = 10dB			Sound Pressure Level, Operator Position, Unit on Table L <sub>pAm</sub> (dB)			
		MA876 2.0GHz Intel Core 2 Duo	MA877 2.4GHz Intel Core 2 Duo	MA876 2.0GHz Intel Core 2 Duo	MA877 2.4GHz Intel Core 2 Duo			
	Idle	3.0	3.1	19	22			
Hard drive accessing	3.0	3.1	20	22				

13	<b>Additional Information/Notes</b>
13.1	Product recycling/take-back systems are local and regionalized. They may not exist, in the same manner, in all municipalities/countries.
13.2	Apple has established regional systems for packaging take-back/recycling in those countries with packaging legislation.
13.3	<p><u>Definitions:</u></p> <p>CAS           Chemical Abstract Service  CFC           chlorofluorocarbon  CRT           cathode ray tube  EMAS        Eco Management and Audit Scheme  EMC         electromagnetic compatibility  EPS         expanded polystyrene  HCFC        hydro chlorofluorocarbon  ISO         International Organization of Standardization  IT ECO      Association of the Swedish IT and Telecom Industry  LCD         liquid crystal display  LDPE        low density polyethylene  MSDS       material safety data sheet  PBB         polybrominated biphenyls  PBDE        polybrominated diphenyl ethers  PCB         polychlorinated biphenyls  PCT         polychlorinated terphenyl  PVC         polyvinyl chloride  PWB         printed wiring board  SPI         Society of Plastics Industry  TBBA        tetrabrominated bisphenol A  VDT         visual display terminal</p>